

LVD Strippit P



Product code	92-000519
Manufacturer	LVD
Model	Strippit P
Type	Punching machine
Condition	New machine
Control	Siemens LVD
Year of manuf.	2024

Punching specifications

Maximum punching capacity	200kN
Maximum material thickness	6.35mm
Punching accuracy	± 0.1mm
Repetitive accuracy	± 0.05 mm

Maximum hit rate at 2 mm working stroke

1 mm pitch	650HPM
25.4 mm pitch	300HPM
Feed clearance	25mm
Nominal worksheet size	1,250 x 2,500mm

Table type capacities

Brush table	up to 79 kg at reduced speed
Work clamps	2 (optional 3rd clamp)

Turret

Turret configuration	33 stations Servo-driven high-speed turret
Auto-index stations	3C - Ø 50.8 mm
Maximum Tool capacity	-
Wheel Tool capacity	x
Tapping Tool capacity	x
Angular positioning accuracy	± 0.05 degrees
Controller	Fanuc OiPD
Combined positioning speed X-Y	82 m/min.
Tool change time	1 sec.

Electrical power consumption

Average power consumption	6.6kW
Standby operation	3.0kW

Automation options - MOVit

Automatic load/unload (PA)	-
Compact Tower (CT-P)	-
Flexible Automation (FA-P)	-
Bin sort	-
Robot pick/sort	-
Tower Automation System (TAS)	-
Warehouse Automation System (WAS)	-
Extended Tool Magazine (ETM)	-
Tool lubrication system	x

