

TRAUB TNX 65



Product code	92-000539
Manufacturer	TRAUB
Model	TNX 65
Type	CNC lathe
Condition	DEMO MACHINE
Control	Traub TX8i-s V7
Year of manuf.	2023

Mainspindle

Bar passage	65 mm
Turning length	650 mm
Chuck diameter	175 mm
Speed	5,000 rpm
Power	24 kW
Torque	192 Nm
C axis	0.001°

Subspindle

Bar passage	65 mm
Chuck diameter	175 mm
Speed	5,000 rpm
Power	24 kW
Torque	192 Nm
C axis	0.001°

Toolcarrier (X/Z/Y)

Number of stations	10 W gearing
Number of revolvers	3
Cylindrical shank tool system	VDI 30
Tool drive speed max.	6,000 rpm
Tool drive power max.	5.5 kW
Tool drive torque max.	17.5 Nm
X-axis travel	175 mm
Z-axis travel	650 mm
Y-axis travel	± 40
Rapid traverse X-axis	20 m/min
Rapid traverse Z axis	40 m/min
Rapid traverse Y-axis	20 m/min

Equipment / Accessories

Chip management

Coolant management

Coolant tank

Bar loader

Parts removal

chip conveyor

Eco-Fluid coolant system switchable to 8/80 bar

600l with paper band filter

LNS QUICK LOAD SERVO 3

parts gripper, unloading conveyor

