

# Technical datasheet

## **EMAG VL 4**



Product code	89-001422
Manufacturer	EMAG
Model	VL 4
Туре	CNC vertical lathe
Condition	Used machine
Control	Fanuc Manual Guide
Year of manuf.	2014

## In general

Rotation diameter Turning diameter Workpiece height Turning length Traverse path X/Z

#### **Spindle**

Technology Speed Torque Power Clamping cylinder C-axis

#### **Tollcarrier**

Technology Tool drive Power Torque Tool holder

#### **Automation**

Technology Transport system Workpiece handling 280 mm 200 mm 200 mm 200 mm 745/400 mm

Motorised spindle 4,500 rpm approx. 280 Nm approx. 18 kW

Full clamping cylinder with media feed-through 0.01°

Star turret, 12 stations 6,000 rpm 7.5 kW 24 Nm

**VDI 40** 

Workpiece storage, revolving

Drag frame (not included in the scope of delivery)

Via spindle (pick-up)

## **Equipment**

Chip disposal
Coolant supply
Workpiece measurement
Emulsion mist separator
Clamping cylinder
Chuck
Static tool holder
Driven tool holder

Chip conveyor
Coolant high-pressure, 15 bar
Measuring probe
Mechanical
Hydraulic full clamping cylinder
3-jaw chuck Schunk Rota 215-65
20 pieces
1 piece



# Technical datasheet











